




WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY
600 Fifth Street, NW, Washington, DC 20001-2651
AMENDMENT OF SOLICITATION

1. AMENDMENT/MODIFICATION A001	2. EFFECTIVE DATE (Same as block 17)		
3. ISSUED BY PURCHASING SECTION Dionne Farmer Office of Procurement and Materials 600 5 th Street, NW Washington, D.C. 20001	4. ADMINISTERED BY (If other than block 3)		
5. CONTRACTOR NAME AND ADDRESS All Potential Offerors <small>(Street, city, county, state, and Zip Code)</small>	6. FORM TYPE (Check only one) <input checked="" type="checkbox"/> AMENDMENT OF SOLICITATION NO. CQ18032 DATE _____ (See block 7) <input type="checkbox"/> MODIFICATION OF CONTRACT/ORDER NO. _____ DATE _____ (See block 9)		
7. THIS BLOCK APPLIES ONLY TO AMENDMENTS OF SOLICITATIONS			
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in block 10. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offerors must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation, or as amended, by one of the following methods; (a) By signing and returning <u>One (1)</u> copies of this amendment; (b) by acknowledging receipt of this amendment on each copy of the offer submitted; or (c) by separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE ISSUING OFFICE PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If, by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided such telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.			
8. ACCOUNTING AND APPROPRIATION DATA (If required) N/A			
9. THIS BLOCK APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS (a) <input type="checkbox"/> This Change Order is issued pursuant to _____ The Changes set forth in block 10 are made to the above numbered contract/order. (b) <input type="checkbox"/> The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data, etc.) set forth in block 10. (c) <input type="checkbox"/> This Supplemental Agreement is entered into pursuant to authority of _____ It modifies the above numbered contract as set forth in block 10.			
10. DESCRIPTION OF AMENDMENT/MODIFICATION The purpose of Amendment 0001 to solicitation, CQ18032 is to provide the Questions and Answers. Questions & Answers: Attachment #1 <p align="center"><small>Except as provided herein, all terms and conditions of the document referenced in block 6, as heretofore changed, remain unchanged and in full force and effect.</small></p>			
11. <input checked="" type="checkbox"/> CONTRACTOR/OFFEROR IS REQUIRED TO SIGN THIS MODIFICATION AND RETURN <u>One (1)</u> COPIES TO ISSUING OFFICE.	<input type="checkbox"/> CONTRACTOR/OFFEROR IS NOT REQUIRED TO SIGN THIS DOCUMENT		
12. NAME OF CONTRACTOR/OFFICE BY _____ <small>(Signature of person authorized to sign)</small>	15. WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY  BY _____ <small>(Signature of Contracting Officer)</small>		
13. NAME AND TITLE OF SIGNER (Type or print)	14. DATE SIGNED	16. NAME OF CONTRACTING OFFICER (Type or print) Lisa Dunlap	17. DATE SIGNED 10/25/17

ATTACHMENT #1

Request for Proposal #

CQ18032-Bus Wash Soap

Questions and Answers

1. QUESTION:

Can you provide me with the SDS for Bus wash Part # TC5511 (TRANSCLEAN BUS WASH) that is being used in the bid IFB CQ18032

ANSWER:

See Attachment #1.

The solicitation () will (X) will not be amended to reflect this clarification.

2. QUESTION:

In the bid packet, there is reference of a product called **Trans Clean** (TC#5511). Please indicate where this company is located.

ANSWER:

Intek Marine Technology, LLC. 10472 Armstrong Street, Fairfax, VA 22030.

The solicitation () will (X) will not be amended to reflect this clarification.

3. QUESTION:

Please provide information as to the duration of the current contract in place.

ANSWER:

Not applicable.

The solicitation () will (X) will not be amended to reflect this clarification.

4. QUESTION:

Nowhere in the bid packet does it provide specific delivery addresses.
Please provide the addresses where the product is to be delivered.

ANSWER:

See Scope of Work in the Invitation for Bid on page 98.

The solicitation () will (X) will not be amended to reflect this clarification.

5. QUESTION:

Please provide an SDS on the current product used.

ANSWER:

See Attachment #1.

The solicitation () will (X) will not be amended to reflect this clarification.

6. QUESTION:

Please provide current price WMATA is paying per 55 gallon drum

ANSWER:

Pricing will not be provided.

The solicitation () will (X) will not be amended to reflect this clarification.

7. QUESTION:

Can you Supply the SDS for the Current Product?

ANSWER:

See Attachment #1.

The solicitation () will (X) will not be amended to reflect this clarification.

8. QUESTION:

What is the Current Price of the Bus Soap you are using now?

ANSWER:

Pricing will not be provided.

The solicitation () will (X) will not be amended to reflect this clarification.

9. QUESTION:

How many Locations for Delivery?

ANSWER:

See Scope of Work in Invitation for Bid on page 98.

The solicitation () will (X) will not be amended to reflect this clarification.

10.QUESTION:

How many drums are ordered at once?

ANSWER:

Depends on the demand of the location. Typically orders are between 1-5 per order.

The solicitation () will (X) will not be amended to reflect this clarification.

11.QUESTION:

Is there a SDS (MSDS) available that can be sent to me for the bided product Trans Clean #TC5511?

ANSWER:

See Attachment #1.

The solicitation () will (X) will not be amended to reflect this clarification.

12.QUESTION:

I realize there are maximum quantities of 200) 55gal. drums per year and clauses that state quantities are not guaranteed. My question is when product is ordered is there a standard minimum number of drums that WMATA will commit to order (per order)? Of course, the question is based on determining delivery costs.

ANSWER:

Depends on the demand of the location. Typically orders are between 1-5 per order.

The solicitation () will (X) will not be amended to reflect this clarification.

SAFETY DATA SHEET
Intek TransClean

Page: 1

Printed: 10/30/2015

Revision: 10/30/2015

Supersedes Revision: 05/22/2015

1. Product and Company Identification

Product Code: IMT
Product Name: Intek TransClean
Company Name: Intek Marine Technologies LLC
10472 Armstrong St.
Fairfax, VA 22030
Phone Number:
1 (877)446-8353
Emergency Contact: Chemtrec
Information: Intek Marine Technologies LLC
1 (800)424-9300
1 (877)446-8353

2. Hazards Identification

Flammable Liquids, Category 4
Skin Corrosion/Irritation, Category 3
Serious Eye Damage/Eye Irritation, Category 2



GHS Signal Word: Warning
GHS Hazard Phrases: Combustible liquid.
Causes mild skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.
GHS Precaution Phrases: Keep out of reach of children.
Read label before use.
Do not get in eyes, on skin, or on clothing.
Wear rubber gloves, chemical goggles, face shield and rubber apron.
Wash hands thoroughly after handling.
Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.
GHS Response Phrases: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.
IF ON SKIN: Remove immediately all contaminated clothing and wash it before reuse. Wash with plenty of water for 15 minutes. If skin irritation occurs: Get medical advice/attention.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes. Get immediate medical advice/attention.
GHS Storage and Disposal Phrases: Medical and Transportation Emergencies contact Chemtrec 1-800-424-9300
Dispose of contents/container in accordance to local, state and federal regulations.
Store locked up.
Store container tightly closed in well-ventilated place.

SAFETY DATA SHEET
Intek TransClean

Page: 2

Printed: 10/30/2015

Revision: 10/30/2015

Supersedes Revision: 05/22/2015

Potential Health Effects No data available.
(Acute and Chronic):

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
7320-34-5	Potassium pyrophosphate {Diphosphoric acid, tetrapotassium salt; Tetrapotassium pyrophosphate}	10.0 -15.0 %
7758-29-4	Sodium phosphate, Tribasic {Pentasodium triphosphate}	< 2.0 %
34590-94-8	Propanol, (2-Methoxymethylethoxy)- {Dipropylene Glycol Methyl Ether; (not 313)}	1.0 -4.0 %

4. First Aid Measures

Emergency and First Aid Procedures:

- In Case of Inhalation:** Immediately move victim to fresh air. If experiencing respiratory symptoms: Get immediate medical advice/attention.
- In Case of Skin Contact:** Flush thoroughly with fresh, tepid water for 15 minutes. Discard contaminated clothing and footwear or wash before reuse. If skin irritation occurs: Get medical advice/attention.
- In Case of Eye Contact:** Immediately flush eyes with large amounts of fresh, tepid water for at least 15 minutes. Hold eyelids open to ensure complete irrigation of eye and lid tissues. Tilt head to the side and irrigate the eye from the bridge of the nose to the outside of the face. Keep run-off from entering the other eye, mouth or ear. Washing eye within the first few seconds is essential to achieve maximum effectiveness. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
- In Case of Ingestion:** Do not induce vomiting. Rinse mouth with fresh, Tepid water, than immediately drink 4-8 oz. or milk or water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep airways open. Keep head lower than hips to prevent aspiration into the lungs. Get medical advice/attention.

5. Fire Fighting Measures

- Flash Pt:** No data.
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** No data.
- Suitable Extinguishing Media:** Dry chemical, CO2, sand, earth, water spray or regular foam.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
- Flammable Properties and Hazards:** No data available.
- No data available.

SAFETY DATA SHEET

Intek TransClean

Page: 3

Printed: 10/30/2015

Revision: 10/30/2015

Supersedes Revision: 05/22/2015

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Rubber or neoprene gloves, Safety glasses. Wear chemical protective clothing.

Steps To Be Taken In Case Material Is Released Or Spilled: Absorb spill with inert material (e.g. dry sand or earth), and dispose of in accordance with applicable regulations.

7. Handling and Storage

Precautions To Be Taken in Handling: For industrial or institutional use only.

Precautions To Be Taken in Storing: Store in a tightly closed container. Keep from freezing. Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7320-34-5	Potassium pyrophosphate {Diphosphoric acid, tetrapotassium salt; Tetrapotassium pyrophosphate}	No data.	No data.	No data.
7758-29-4	Sodium phosphate, Tribasic {Pentasodium triphosphate}	No data.	No data.	No data.
34590-94-8	Propanol, (2-Methoxymethylethoxy)- {Dipropylene Glycol Methyl Ether; (not 313)}	PEL: 100 ppm	TLV: 100 ppm STEL: 150 ppm	No data.

Respiratory Equipment (Specify Type): A respirator is not needed under normal and intended conditions of product use.

Eye Protection: Safety glasses

Protective Gloves: Rubber or neoprene gloves

Other Protective Clothing: Wear chemical protective clothing.

Engineering Controls (Ventilation etc.): Handle in accordance with good industrial hygiene and safety practice. In a well ventilated area. Wash hands before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: Clear Blue Liquid.
Odor: No apparent odor.

Melting Point: No data.

Boiling Point: No data.

Flash Pt: No data.

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

SAFETY DATA SHEET
Intek TransClean

Page: 4

Printed: 10/30/2015

Revision: 10/30/2015

Supersedes Revision: 05/22/2015

Specific Gravity (Water = 1): 1.270 - 1.320
Solubility in Water: 100
Percent Volatile: No data.
Autoignition Pt: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: Avoid handling conditions which may allow for leaks and spills of this material. Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.
Incompatibility - Materials To Avoid: No data available.
Hazardous Decomposition or Byproducts: No data available.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

Toxicological Information: Inhalation, Eye contact, Skin contact, Ingestion
Irritation or Corrosion: Eyes: Causes eye irritation.
Skin: May cause skin irritation.
Ingestion: Health injuries are not known.
Inhalation: May cause nose, throat, and lung irritation
Symptoms related to Toxicological Characteristics: Eyes: Redness, pain, irritation.
Skin: Redness, pain, irritation.
Ingestion: No symptoms known.
Inhalation: Respiratory irritation, cough, dizziness.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information: This product has no known ecotoxicological effects.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents/container in accordance to local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):
DOT Proper Shipping Name: Compound Cleaning, Not Regulated.
DOT Hazard Class:
UN/NA Number:

SAFETY DATA SHEET
Intek TransClean

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7320-34-5	Potassium pyrophosphate {Diphosphoric acid, tetrapotassium salt; Tetrapotassium pyrophosphate}	No	No	No
7758-29-4	Sodium phosphate, Tribasic {Pentasodium triphosphate}	No	Yes 5000 LB	No
34590-94-8	Propanol, (2-Methoxymethylethoxy)- {Dipropylene Glycol Methyl Ether; (not 313)}	No	No	No

This material meets the EPA Yes No Acute (immediate) Health Hazard
 'Hazard Categories' defined Yes No Chronic (delayed) Health Hazard
 for SARA Title III Sections Yes No Fire Hazard
 311/312 as indicated: Yes No Sudden Release of Pressure Hazard
 Yes No Reactive Hazard

16. Other Information

Revision Date: 10/30/2015

Hazard Rating System:

HEALTH	<input type="checkbox"/>	2
FLAMMABILITY	<input type="checkbox"/>	1
PHYSICAL	<input type="checkbox"/>	0
PPE		B

HMIS:

Additional Information About This Product: Company's Disclaimer: While Intek Technology Chemical believes this statement set forth herein are accurate as of the date hereof, Intek makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation and verification.